





Hazard Classification and Identification Report for Transport of Goods

#### 锂电池类物品

样品名称: 不可充电锂电池 CR2032 3V 220mAh

Sample name: Lithium battery CR2032 3V 220mAh

委托单位: 麦克赛尔亚洲有限公司 Maxell Asia, Ltd.

**上立单**位。 麦克赛尔株式会社

Maxell, Ltd.





SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD





Hazard Classification and Identification Report for Transport of Goods

NO. 212400304820041

Page 1/3

			for Transport		Page 1/3	
		中文	不可充电锂电池 CR2032 3V	220mAh		
样品	品名称	Chinese				
1000	e Name					
		英文	Lithium battery CR2032 3V	220mAh		
		English				
1		单位.	麦克赛尔亚洲有限公司 Maxell Asia, Ltd.			
	Applicant					
	生产单位		麦克赛尔株式会社 Maxell,Ltd.			
Manufacturer			W	4		
检验方法、程序			国际海事组织《国际海运危险货物规则》(2022版) IMO International Maritime Dangerous Goods Code (2022 Edition)			
Inspecti		od and procedure				
	样品		银色金属外壳 Silvery Metal shell			
Sai	AL IDA VA	opearance				
	包装件		重量≤30kg。 weight≤30kg.			
	ckage ir	nformation	Assert			
序号 NO.	В	电池种类 attery type	型号 Model	容量Capacity	放置方式	
1		电锂金属电池芯	CR2032	/锂含量Li content 220mAh / ≤0.3g	Placement 电池单独运输	
	Primar	/ Li-metal cell		250mm / 20.3g	Battery only	
鉴定结论	TI CATI ON CONCL USI	2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项(Suggestion according to IMO IMDG Code) 根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。 The article is not subject to other provisions of IMO IMDG Code according to special provision 188.  3. 包装要求(Packaging requirements) 无。 None.  检验日期: 2023-12-03 签发日期: 2023-12-02 生效日期: 2024-24-24				
备注 Comm	/	nspection Date:		2023-12-03 主奴日朔: Effective Date	2024-01-01	

批准 Approver: 七身

审核 Checker:

主检 Appraiser:





Hazard Classification and Identification Report for Transport of Goods

NO. 212400304820041

Page 2/3

	<u> </u>	rage 2/3						
	序号	检验结果及其他事项						
	No.	Inspection results and other things						
ŀ								
-1		本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版)2.9.4.5规定的质量管理体系进行制造。						
		Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.						
1	1							
1		A A						
1								
2		本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。						
		包装件能够承受1. 2m跌落试验。						
		Lithium cells and batteries listed in this report are of the types proved to meet the requirements of						
	1122	each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.  The package has passed the 1.2m drop test.						
	2	UN38. 3试验概要编号						
		The UN38.3 Test Summary No. (s)						
		812000200533524						
1		详细信息请扫描右侧二维码。						
-		Please scan the QR code on the right for more information.  锂电池完全封装在内包装内,位于坚固的外包装中。						
ı		Lithium cells and batteries are packed in inner packeding that completely						
3	0	Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.						
	3							
		电池具有适当的防短路措施。						
		Cells and batteries are properly protected to prevent short circuits.						
	4							
-								
L								
		每个包装件必须标示恰当的锂电池标记。						
ř		装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴						
5		5. 2. 1. 10 (锂电池标记) 和5. 2. 2. 2所示的9A型标签,应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版) 5. 2. 1. 10 中显示电话号码附加信息的锂电池标记,可继续使用至2026年12月31日。						
		Each package shall be marked with the appropriate lithium battery mark.						
	5	Packages containing lithium batteries packed in conformity with the provisions of part 4, shorten II,						
		500 of 500, section is of the ICAO lechnical Instructions for the Safe Transport of Dangerous Coods by air that have the						
		mark as shown in 5.2.1. 10(11th um battery mark) and the label shown 5.2.2.2 Model No. 9A shall be doomed to most the provision						
		of this special provision 100. Note: The mark shown in 5.2.1. 10(lithium battery mark) of the IMDC CODE 2020 EDITION						
		the telephone number for additional information, may continue to be applied until 31 December 2026.						
6								
	6							
	7							
		IA TITE OCCUPY						
		-验证码:960689-						

Hazard Classification and Identification Report for Transport of Goods

NO. 212400304820041 Page 3/3



\*\*\*报告结束\*\*\*