

仅限货机 CAO





## 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

## 危险品

样品名称:

成品配件/电池 (锂电池) 劲量-AAA-L92-FR03-1.5V-1250mAh(CE)

Sample name:

Energizer Lithium Battery AAA size-L92-FR03-1.5V-1250mAh(CE)

委托单位:

崇佳企业有限公司(劲量OEM部门)

SONCA PRODUCTS LIMITED

生产单位:

崇佳企业有限公司(劲量OEM部门)

SONCA PRODUCTS LIMITED









## 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

样品名称 Sample Nam		中文 Chinese	成品配件/电池(锂电池)劲量-AAA-L92-FR03-1.5V-1250mAh(CE)				
		英文 English	Energizer Lithium Battery AAA size-L92-FR03-1.5V-1250mAh(CE)				
委托单位 Applicant			崇佳企业有限公司(劲量OEM部门) SONCA PRODUCTS LIMITED				
生产单位 Manufacturer			崇佳企业有限公司(劲量OEM部门) SONCA PRODUCTS LIMITED				
检验方法、程序 Inspection method and procedure			国际航空运输协会《危险品规则》66版 IATA Dangerous Goods Regulations (DGR) 66th Edition				
样品外观 Sample appearance			银色塑料薄膜外壳 Silvery Plastic film shell				
Pac		件信息 information	/	MY			
序号 NO.		电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单顆重量kg Unit weight	数量 Quantity
1		充电锂金属电池芯 ry Li-metal cell	L92 • FR03 • 1. 5V	1250mAh / 0.45g	电池单独运输 Battery only	0.0078	8
		1. 危险性识别(H 杂项。 Miscellaneous.	lazards identificat	ion)			
鉴	I DENTI F	2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR)					
定	AT	Proper Shipping Name:Lithium metal batteries Class or Division:9 UN Number:UN3090					
结	CONCL	3. 包装要求 (Packaging requirements)					
论							
_		仅限货机 Cargo Aircraft On	nly		東	A S	型
		检验日期: Inspection Date		2024-12-25	生效日期: Effective Date	验数别专用	草
备注 Comn		/				(11)	

审核 Checker:

品价





## 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

NO. 212500011193181 Page 2/3

序号 No.	检验结果及其他事项						
1	Inspection results and other things  本鉴定书所述锂电池按照《危险品规则》(66版) 3.9.2.6.1(e)规定的质量管理体系进行制造。  本鉴定书所述锂电池不属于损坏或有缺陷的电池。  本鉴定书所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 66th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not damaged or defective cells or batteries. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.						
2	本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part 11I, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812100700618896 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.						
3	锂电池必须完全封装在内包装内,位于外包装中。完成包装件必须满足II级包装性能标准。 Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in an outer packaging. The completed package must meet the Packing Group II performance standards.						
4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.						
5	每个包装件必须使用9类锂电池或钠离子电池危险性标签(DGR图7.3.X)。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be labelled with the Class 9-Lithium Battery or Sodium Ion Battery hazard label(Figure 7.3.X in IATA DGR). Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).						
6	锂电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体,第3类易燃液体,4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Lithium cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).						
7	/						
	-验证码:771605-						

が、一般

Hazard Classification and Identification Report for Transport of Goods



\*\*\*报告结束\*\*\*