

SRAM[®]

2018 E-MTB
Components



Compatibility
Map

1x12 Eagle™ E-MTB Compatibility

Chain		Crankset									
Model		Model	Motor Options								
			Bosch®	Brose®/Yamaha®/Fazua/Continental							
12s	PC XX1 Eagle* PC X01 Eagle PC GX Eagle PC NX Eagle	X1	■	■							
		XSYNC II (Eagle) Chainrings									
			Bosch Performance CX	104BCD (Brose/Yamaha/Fazua/Continental)	104BCD Shimano®						
		16T	■								
		32T		■							
		34T		■	■						
		36T		■	■						
		38T		■	■						
		Cassette		Driver Body	Rear Derailleur		Shifter				
		Gearing		Model	10/9/8**	Model	Cage Length Options		Model	MMX	MM
					Long						
12s	11 - 50 Eagle	PG 1230	■	1x12	XX1 Eagle	■	1x12	XX Eagle 1-Click	■	■	
					X01 Eagle	■		X0 Eagle 1-Click	■	■	
					GX Eagle	■		GX Eagle 1-Click	■	■	
					NX Eagle	■		NX MMX Eagle 1-Click	■	■	
							NX Eagle 1-Click			■	

* Eagle chains are only compatible with SRAM Eagle 1x12 systems.

** All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer

1x11 E-MTB Compatibility

Chain		Crankset									
Model		Model	Motor Options								
			Bosch®	Brose®/Yamaha®/Fazua/Continental							
11s PC XX1 PC X1 PC 1130 PC 1110	Front	X1	■	■							
		XSYNC II (Eagle) Chainrings									
			Bosch Performance CX	104BCD (Brose/Yamaha/Fazua/Continental)	104BCD Shimano®						
		14T	■								
		16T	■								
		18T	■								
		32T		■							
		34T		■	■						
		36T		■	■						
		38T		■	■						
		Cassette	Driver Body	Rear Derailleur		Shifter					
		Gearing	Model	10/9/8*	Model	Cage Length Options	Model	MMX	MM	IC	
						Long					
11s	Rear	11 - 42	PG 1130	■	1x11	XX1	■	X01 E-Click GX E-Click S700 E-Click	■	■	
						X01	■				
						X1	■				
						GX	■				
						NX	■				

* All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer

EX1™ E-MTB Compatibility

Chain		Crankset					
Model		Model		Motor Options			
				Bosch®	Brose®/Yamaha®/Fazua/Continental		
8s	EX1-CN	EX1		■	■		

XSYNC Chainrings			
	Bosch Performance CX	104BCD (Brose/Yamaha/Fazua/Continental)	104BCD Shimano®
14T	■		
16T	■		
18T	■		
32T		■	
34T		■	■
36T		■	■
38T		■	■

Cassette		Driver Body	Rear Derailleur		Shifter			
Gearing	Model	10/9/8*	Model	Cage Length Options	Model	MMX	MM	IC
			Long					
8s	11 - 48	XG-899	■	8s	EX1	■	■	
8s				8s				

* All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer

These are registered trademarks of SRAM, LLC

1:1® • Avid® • Blackbox® • BoXXer® • DoubleTap® • Elita® • eTap® • Firecrest® • Firex®-Grip Shift® • GXP® • HammerSchmidt® • Holzfelder® • Hussefelt®
i-Motion® • Know Your Powers® • Omnium® • NSW® • Pike® • PowerLock® • Quarq® • Collector® • Reba® • RockShox® • Ruktion® • Service Course®
ShockWiz® • SID® • Single Digit® • Speed Dial® • Speed Weaponry® • SRAM APEX® • SRAM EAGLE® • SRAM Force® • SRAM RED® • SRAM RIVAL®
SRAM VIA® • SRAM® • Stylo® • Torpedo® • The Power of Bicycles® • Truvativ® • World Bicycle Relief® • X01® • X-SYNC® • XX1® • Zed tech® • ZIPP®

These are trademarks of SRAM, LLC

10K™ • 1X™ • 202™ • 2x10™ • 30™ • 302™ • 303™ • 3X10™ • 30 Gold™ • 404™ • 454™ • 808™ • 858™ • ABLC™ • Accelerator Damper™ • AeroGlide Pulleys™ • AeroBalance™ • AeroLink™
AeroStick™ • Airea™ • Air Guides™ • AKA™ • AL-7050-TV™ • ANT+™ • Argyle™ • Automatic Drive™ • Automatix™ • AxCad™ • Axial Clutch™ • Bend Zone™ • BB5™ • BB7™ • BB30™
Bleeding Edge™ • Bluto™ • BooBar™ • Boost™ • Bottomless Tokens™ • Brushless Motor™ • Cage Lock™ • Carbon Bridge™ • Centera™ • Centerline™ • Charger 2 Damper™
Charger Damper™ • Clickbox Technology™ • Code™ • Cognition™ • Connectamajig™ • Contact Point Adjustment™ • Contour SL™ • Counter Measure™ • DB™ • DB1™ • DB3™ • DB5™
DD3™ • DD3 Pulse™ • DebonAir™ • Deep Stroke Modulation™ • Deluxe™ • Deluxe Re:Aktiv™ • Descendant™ • DFour™ • DFour91™ • Dig Valve™ • Direct Shift™ • Domain™ • DOT 5.1™
Double Decker™ • Double Time™ • Dual Flow™ • Dual Flow Adjust™ • Dual Position Air™ • DZero™ • Eagle™ • E300™ • E400™ • E-Connect4™ • Elsa™ • E-matic™ • ErgoBlade™
ErgoDynamics™ • ESP Technology™ • EX1™ • Exact Actuation™ • Exact Actuation™ • Exogram™ • Expandable Bladder™ • Firestrike™ • FR-5™ • Full Pin™ • Gnar Dog™ • Guide™
GX™ • GX Eagle™ • Hard Chrome™ • Heat Sensor™ • Hexfin™ • High Speed CAN bus™ • HollowPin™ • Howitzer™ • HSX™ • HS1™ • Hybrid Drive™ • Hyperfoil™ • i-3™ • Impress™
Integrated Reservoir™ • Jaws™ • Jet™ • JUDY™ • Kage™ • Komfy™ • Level™ • Lyrik™ • MatchMaker™ • Maxle™ • Maxle 360™ • Maxle Light™ • Maxle Light DH™ • Maxle Stealth™
Maxle Ultimate™ • Micro Gear System™ • Mini Block™ • Mini Cluster™ • Monarch™ • Monarch Plus™ • Motion Control™ • MRX™ • Noir™ • NX™ • OCT™ • OmniCal™ • OneLoc™
Overdrive™ • Paragon™ • Piggyback Reservoir™ • Poploc™ • Power Balance™ • Power Bulge™ • PowerChain™ • PowerDomeX™ • Powered by SRAM™ • PowerGlide™ • PowerLink™
Power Reserve Geometry™ • Power Spline™ • Predictive Steering™ • Pressfit™ • Pressfit 30™ • Qalvin™ • R2C™ • RAIL™ • Rapid Recovery™ • Reach Adjust™ • Re:Aktiv ThruShaft™
Recon™ • Reverb™ • Revelation™ • Riken™ • Rise™ • ROAM™ • Roller Bearing Clutch™ • RS-1™ • Sag Gradients™ • Sawtooth™ • SCT - Smart Coasterbrake Technology • Seeker™ • Sektor™
SHIFT™ • ShiftGuide™ • Shorty™ • Showstopper™ • Si3N4™ ceramic bearings • Signal Gear Technology™ • SL™ • SL145™ • SL-70 Aero™ • SL-70 Ergo™ • SLC2™ • SLSPEED™ • SL Sprint™
Smart Connect™ • Solo Air™ • Solo Spoke™ • SpeedBall™ • Speed Metal™ • S-series™ • Stealth-a-majig™ • StealthRing™ • Super-9™ • Supercork™ • Super Deluxe™ • Super Deluxe Coil™
SwingLink™ • TaperBore™ • TaperCore™ • Timing Port Closure™ • Tool-free Reach Adjust™ • Top Loading Pads™ • Torque Caps™ • Travel Gradients™ • Tri-Align Caliper Position System™
TRX™ • Turnkey™ • UST Tubeless™ • VCLC™ • Vivid™ • Vivid Air™ • Vuka Aero™ • Vuka Alumina™ • VukaBull™ • Vuka Clip™ • Vuka Fit™ • WiFLi™ • X0™ • X0 Eagle™ • X1™
X5™ • X7™ • X9™ • X-Actuation™ • XC™ • X-Dome™ • XD Driver Body™ • XDR™ • X-Glide™ • X-GlideR™ • X-Horizon™ • XLoc Sprint™ • XX™ • XX1 Eagle™ • Yari™ • Yaw™ • Zero Loss™

Specifications and colors subject to change without prior notice.

This publication includes trademarks and registered trademarks of the following companies:

Bosch® is a registered trademark of Robert Bosch® GmbH.

Brose® is registered trademark of Brose Fahrzeugteile GmbH & Co.

Continental is a trademark of Continental AG.

Fazua™ is a trademark of FAZUA GmbH.

Shimano® is a registered trademark of Shimano Inc. Japan.

Yamaha® is a registered trademark of Yamaha Corporation.



ASIAN HEADQUARTERS

SRAM Taiwan
No. 1598-8 Chung Shan Road
Shen Kang Hsiang, Taichung City
Taiwan R.O.C.

WORLD HEADQUARTERS

SRAM LLC
1000 W. Fulton Market, 4th Floor
Chicago, Illinois 60607
U.S.A.

EUROPEAN HEADQUARTERS

SRAM Europe
Paasbosweg 14-16
3862ZS Nijkerk
The Netherlands